65(4), 1992, pp. 462–465

INDEX TO VOLUME 65

Acari, Banks grass mite, 308; in nests of bees, 157
Acherontides **eleonorae,** new species, 443; key to American species, 447
Acinopterus **centralis,** new species, 459; **godoyae,** new species, 459
Acrididae, egg pods of *Aulocara,* 416
Alexander, C. P., fund for publication, 208
alfalfa weevils, as prey, 30
alkali bees, mites associated with, 157
Allen, R. T., 174
Alphitobius diaperinus, reproductive anatomy of female, 299
Amaranthus cruentus, yield affected by tarnished plant bug, 450
anatomy, of female lesser mealworm, reproductive system, 299
Anderson, A.W., 59
Anderson, C. J., 456
Anthophoridae, biology of *Diadasia rinconis,* 377; nesting habits of *Ceratina,* 190
Anthrax, host records, 393
ants, attracted to electric field, 39; damaging electric equipment, 39; emigration in *Pogonomyrmex,* 456; foraging ecology, 16; mating success, 244; orientation in *Atta,* 96
aphids, influenced by host plant growth stage, 369; on spinach, control by fungus, 196; as prey, 30; prey of *Scymnus frontalis,* 410; probing in wheat plants, 252; response to by oat seedlings, 141
Apidae, enzymes of *Bombus,* 134
Apis mellifera, spatial dynamics of mating system, 218, 223
Arnold, D. C., 92
Atta cephalotes, orientation, 96
attractants, non-pheromonal, 10
Aulocara elliotti, egg pods, 416

Banks grass mite, on sorghum, 308
Barker, J. F., 431, 453
Beani, L., 211
Beauveria bassiana, in chinch bug, 115
bee flies, parasitoids of bees, 393
bees, associated nest mites and fungi, 157; bombyliid parasitiods, 393; Colletidae, 1; mate guarding, 242; nestmate recognition by *Bombus,* 238; partial bivoltinism, 377; review of *Pseudophilanthus,* 146; stingless, behavior, 421
behavior, courtship, 125; mating (see mating behavior); of male *Trypoxylon,* 66; specialized, among stingless bees, 421
Berlocher, S. H., 403
Bhatkar, A. P., 244
bioassay, of flea beetle, 352
biological control, of aphids by fungus, 196
biology, of *Diadasia rinconis,* 377
bird louse, from swift parrot, 275
birdsfoot trefoil, effects of cutting and burning on seed chalcids of, 292
bivoltinism, in *Diadasia,* 377
Bjerke, J. M., 59
Blaney, C., 96
Blissus leucopterus, fungus infection of, 115
Blocker, H. D., 341
Boetel, M. A., 354
Bohart, G. E., 157
Bombus, enzyme distinctiveness, 134
Bombyliidae, host records for *Anthrax* spp., 393
book reviews, 98
Bouseman, J. K., 403
bovine dung, insect fauna of, 267
Bowles, D. E., 174
Braconidae, parasitoids of corn borer, 87
Bramel-Cox, P. J., 308
Brockman, H. J., 66
bumble bees, as pollinators of *Cuphea,* 316; enzyme differences in, 134; nestmate recognition by, 238; mate guarding, 242
Byers, G. W., 351

caddisflies, life histories, 174
Calvin, D. D., 87
Campbell, J. B., 267
Campbell, R. K., 252
Carabidae, affected by methamidophos, 151; in soybean fields, 279
Carlton, C. E., 299
Carpenter bee, small, nesting habits, 190
caste determination, relation to mating, 231
cell damage, caused by methyl bromide, 53
Cerambycidae, comparison of color morphs, 403; new species of, 200
Ceratina dentipes, 190
Cerceris fumipennis, nest defense, 44
Cerceris lutzi, nest and prey, 91
cereal aphids, on oat seedlings, 141
Cervo, R., 211
Cheetham, T., 53, 101
Chinch bug, egg parasitiod of, 346; fungal pathogen of, 115
Chrysomela scripta, ovarian tissues, 101
Chrysomelidae, corn rootworms, 354, 435; flea beetle for laboratory use, 352; histology, 101
Cicadellidae, new species from Central America, 459; synopsis of *Faltala* group, 341
Cipollini, M., 96
Clorindaia **adama,** new species, 342; **latiabdoma,** new species, 344; **cyphora,** new species, 344
Coccinellidae, life history and development, 410; predators of aphids, 30
Cochylis hospes, diapause, 431
codling moth, cell damage in, 53
Coleoptera, ground beetles in soybean fields, 279; in bovine dung, 267
Collembola, new species from Brazil, 443; ecology, 446
color morphs of *Euderces picipes,* 403
congregation areas, of drone honey bees, 223
corn earworm, potential pest of *Cuphea,* 316
corn rootworm, 10; western, damage by, 435; survival, 435
Correll, J. C., 196

65(4), 1992, pp. 462–465

INDEX TO VOLUME 65

Acari, Banks grass mite, 308; in nests of bees, 157
Acherontides **eleonorae,** new species, 443; key to American species, 447
Acinopterus **centralis,** new species, 459; **godoyae,** new species, 459
Acrididae, egg pods of *Aulocara,* 416
Alexander, C. P., fund for publication, 208
alfalfa weevils, as prey, 30
alkali bees, mites associated with, 157
Allen, R. T., 174
Alphitobius diaperinus, reproductive anatomy of female, 299
Amaranthus cruentus, yield affected by tarnished plant bug, 450
anatomy, of female lesser mealworm, reproductive system, 299
Anderson, A.W., 59
Anderson, C. J., 456
Anthophoridae, biology of *Diadasia rinconis,* 377; nesting habits of *Ceratina,* 190
Anthrax, host records, 393
ants, attracted to electric field, 39; damaging electric equipment, 39; emigration in *Pogonomyrmex,* 456; foraging ecology, 16; mating success, 244; orientation in *Atta,* 96
aphids, influenced by host plant growth stage, 369; on spinach, control by fungus, 196; as prey, 30; prey of *Scymnus frontalis,* 410; probing in wheat plants, 252; response to by oat seedlings, 141
Apidae, enzymes of *Bombus,* 134
Apis mellifera, spatial dynamics of mating system, 218, 223
Arnold, D. C., 92
Atta cephalotes, orientation, 96
attractants, non-pheromonal, 10
Aulocara elliotti, egg pods, 416

Banks grass mite, on sorghum, 308
Barker, J. F., 431, 453
Beani, L., 211
Beauveria bassiana, in chinch bug, 115
bee flies, parasitoids of bees, 393
bees, associated nest mites and fungi, 157; bombyliid parasitiods, 393; Colletidae, 1; mate guarding, 242; nestmate recognition by *Bombus,* 238; partial bivoltinism, 377; review of *Pseudophilanthus,* 146; stingless, behavior, 421
behavior, courtship, 125; mating (see mating behavior); of male *Trypoxylon,* 66; specialized, among stingless bees, 421
Berlocher, S. H., 403
Bhatkar, A. P., 244
bioassay, of flea beetle, 352
biological control, of aphids by fungus, 196
biology, of *Diadasia rinconis,* 377
bird louse, from swift parrot, 275
birdsfoot trefoil, effects of cutting and burning on seed chalcids of, 292
bivoltinism, in *Diadasia,* 377
Bjerke, J. M., 59
Blaney, C., 96
Blissus leucopterus, fungus infection of, 115
Blocker, H. D., 341
Boetel, M. A., 354
Bohart, G. E., 157
Bombus, enzyme distinctiveness, 134
Bombyliidae, host records for *Anthrax* spp., 393
book reviews, 98
Bouseman, J. K., 403
bovine dung, insect fauna of, 267
Bowles, D. E., 174
Braconidae, parasitoids of corn borer, 87
Bramel-Cox, P. J., 308
Brockman, H. J., 66
bumble bees, as pollinators of *Cuphea,* 316; enzyme differences in, 134; nestmate recognition by, 238; mate guarding, 242
Byers, G. W., 351

caddisflies, life histories, 174
Calvin, D. D., 87
Campbell, J. B., 267
Campbell, R. K., 252
Carabidae, affected by methamidophos, 151; in soybean fields, 279
Carlton, C. E., 299
Carpenter bee, small, nesting habits, 190
caste determination, relation to mating, 231
cell damage, caused by methyl bromide, 53
Cerambycidae, comparison of color morphs, 403; new species of, 200
Ceratina dentipes, 190
Cerceris fumipennis, nest defense, 44
Cerceris lutzi, nest and prey, 91
cereal aphids, on oat seedlings, 141
Cervo, R., 211
Cheetham, T., 53, 101
Chinch bug, egg parasitiod of, 346; fungal pathogen of, 115
Chrysomela scripta, ovarian tissues, 101
Chrysomelidae, corn rootworms, 354, 435; flea beetle for laboratory use, 352; histology, 101
Cicadellidae, new species from Central America, 459; synopsis of *Faltala* group, 341
Cipollini, M., 96
Clorindaia **adama,** new species, 342; **latiabdoma,** new species, 344; **cyphora,** new species, 344
Coccinellidae, life history and development, 410; predators of aphids, 30
Cochylis hospes, diapause, 431
codling moth, cell damage in, 53
Coleoptera, ground beetles in soybean fields, 279; in bovine dung, 267
Collembola, new species from Brazil, 443; ecology, 446
color morphs of *Euderces picipes,* 403
congregation areas, of drone honey bees, 223
corn earworm, potential pest of *Cuphea,* 316
corn rootworm, 10; western, damage by, 435; survival, 435
Correll, J. C., 196

cottonwood leaf beetle, histology of ovarian tissues, 101
courtship behavior, in *Trypoxylon,* 66
Cross, E. A., 157
Cuphea sp., potential pollinators and pests, 316
Curculionidae, sunflower stem weevil, 453
Cylindrocopturus adspersus, feeding preferences, 453

dance behavior of honey bees, 85
Danielson, S. D., 346
desert tenebrionid beetles, 125
Diabrotica virgifera virgifera, 435
Diabrotica virgifera zeae, 10
Diadasia rinconis, biology, 377
diapause, in moth *Cochylis,* 431
digger wasps, 44
Diuraphis noxia, influence of plant growth stage, 369; prey of *Scymnus,* 410
Dominican amber, stonefly in, 93
Dominiperla, new genus, 94; **antigua,** new species, 95

Ebert, T. A., 151
egg density, of corn rootworm at various depths in soil, 354
egg deposition, histology of associated tissues, 101
egg parasitiod of chinch bug, 346
egg pods, location of in *Aulocara,* 416
Eikenbary, R. D., 252
electric fields, attractive to ants, 39
electrophoresis, comparing color morphs, 403; in species differentiation, 134
Elkassabany, N. M., 196
Elliott, N. B., 261
Elliott, N. C., 410
Elliott, W. M., 261
Elzinga, R. J., 98
Emlen, D. J., 203
Eomenopon, from swift parrot, 275; **greeni,** new species, 275
Euderces picipes, color morphs, 403
European corn borer, parasitiods of, 87; potential pest of *Cuphea,* 316
Eurytomidae, seed chalcids, 292
Eutreta diana, galls and parasitiods, 203; at high elevations, 203
Evans, E. W., 30
Evans, H. E., 91

face fly, affected by other insects in dung, 267
fall armyworm, potential pest of *Cuphea,* 316
Faltala group, synopsis, 341
Fang, Q., 341
feeding behavior, of aphids, electronically monitored, 252
Fergen, J. K., 10
Ferguson, J. W. H., 125
Fergusson-Kolmes, L., 85
Fisher, J. R., 416, 435
flea beetle, for laboratory studies, 352
flyways of drone honey bees, 223
foraging ecology, of prairie ants, 16
Formicidae, attracted to electric fields, 39; emigration in *Pogonomyrmex,* 456; foraging ecology, 16; mating success in *Monomorium,* 244; orientation, 96
fossil stonefly, in amber, 93
Foster, R. L., 238
Freeman, T. P., 59
Freytag, P. H., 459
fungal infection, of chinch bug, 115
fungi, in nests of bees, 157
fungus, as control of peach aphid, 196

Gellner, J. L., 141
Gibson, R. L., 410
Gnaspini-Netto, P., 443
Gilbert, G., 96
glossa, of Colletidae, 1
Grafe, T. U., 44
grain amaranth, effect of tarnished plant bug, 450
grasshopper, egg pod location, 416
Gray, M. E., 354
greenbug aphids, prey of *Scymnus,* 410; biotype E, probing in wheat plants, 252; response of oat seedlings to, 141
ground beetles, in soybean fields, 279

Halictidae, caste determination, 231
handedness in honey bees, 85
Hein, G. L., 354, 369
Henderson, G., 16
histology of ovarian tissues in *Chrysomela,* 101
Hogg, D. B., 292
Homoptera, source of honeydew used by ants, 16
honey bees, as pollinators of *Cuphea,* 316; dance behavior, 85; mating system, 218; drone flyways, 223
Hopkins, J. D., 299
Hybosorus illigeri, in Oklahoma, 92
Hypogastruridae, 443; ecology, 446

Imparipes apicola, in nests of *Nomia,* 157
inbreeding, avoidance of in bumble bees, 238
irrigation, effect on grass mites on sorghum, 308
Irving, J., 39

Jackson, J. J., 435
Jeanne, R. L., 16
Jones, S. C., 251

katydid, northern, in Colorado, 448
Kieckhefer, R. W., 141
Kolmes, S. A., 85, 421
Kondratieff, B. C., 151
Kramerana **hypera,** new species, 344
Krueger, S. R., 115
Krzeminska, E., 185

Lance, D. R., 10
landmarks, aggregation sites for *Polistes,* 211
Landolt, P. J., 209
Larrain, P. L., 279
leaf-cutting ants, orientation, 96
leafhoppers, new species from Central America, 459; new taxa in *Faltala* group, 341
Leatherman, D. A., 448

lek behavior, in *Polistes,* 211
Lentz, D. L., 93
lesser mealworm, reproductive anatomy of female, 299
Liewehr, D. J., 87
life history, of *Imparipes apicola* (mite), 163; of caddisflies, 174; of *Scymnus frontalis,* 410
Lips, K., 96
Long-Rowell, M. A., 218
Loper, G. M., 223
Lorenzi, C. M., 211
Losey, J. E., 87
Lygus lineolaris, effect on amaranth, 450
Lyons, S. A., 403

MacKay, W. P., 39
Majdi, S., 39
Margolies, D. C., 308
mate following in Tenebrionidae, 125
mate guarding, by bumble bees, 242
mating, and caste determination, 231
mating behavior, of *Monomorium,* 244
mating biology, of social insects, 209
mating strategies, of social insects, 209
mating systems, in Vespidae, 211; in honey bees, 218, 223
mating tactics of male *Tachytes,* 261
McLeod, P. J., 196, 352
McPheron, B. A., 403
Mecoptera, deformed *Panorpa,* 351
Megacyllene **comanchei,** new species, 200
Meganomiinae, nomenclature, 146
Melipona favosa, behavior, 421
Meloidae, from Argentina, 357
Messer, C., 39
methamidophos insecticide, effect on *Pasimachus,* 151
methyl bromide, cell damage by, 53
Mexican corn rootworm, 10
Michener, C. D., 1, 146
mites, in nests of bees, 157
monogamy in termites (summary), 251
Monomorium minimum, mating success, 244
Morelock, T. E., 196
Morgham, A. T., 252
Morón, M. A., 321
morphology, of otitid larva, 59
Morris, R. F., 200
Morrison, L., 96
moths, diapause in relation to temperature and photoperiod, 431
Mueller, U. G., 44
Mull, J. F., 456
Mullen, M. A., 348
Musca autumnalis, affected by other insects in dung, 267
Myzus persicae, on spinach, 196

Nalepa, C. A., 251
Nechols, J. R., 115
Neff, J. L., 377
nest architecture, of *Cerceris,* 91
nest defense, by *Cerceris,* 44
nesting behavior, in *Trypoxylon,* 66
nesting biology, of *Ceratina dentipes,* 190
nestmate recognition, in bumble bees, 238
nests, of *Diadasia* bees, 377
nomenclature, problems in Meganomiinae, 146
Nomia melanderi, mites associated with, 157
northern corn rootworm, 354
northern true katydid, 448
Nothotrichocera **chiloe,** new species, 185
notice of annual meeting, 100

oats, *Avena sativa,* response to aphids, 141
Obrecht, E., 134
Ode, P. R., 44
Okazaki, K., 190
O'Neil, R. J., 279
Opuntia, nectar source for *Diadasia,* 377
Orthoptera, egg pods, 416; Tettigoniidae, 448
Otitidae, larva, 59
Owen, R. E., 134

Palacios-Vargas, J. G., 443
Palma, R. L., 275
Pandora neoaphidis, fungus as control of peach aphid, 196
Panorpa, deformed, 351
parasitiods, in eggs of Chinch bug, 346; in rice weevil, 348; of corn borer, 87; of sage stem-galling fly, 203
Pasimachus elongatus, affected by methamidophos, 151
Peitzmeier, B. A., 267
Peterson, S. S., 292
photoperiod, and diapause, 431
Phthiraptera, 275
Phyllophaga (*Triodonyx*), revision, 321; key to species, 323; **nogueirai,** new species, 329; **bellamyi,** new species, 331; **woodruffi,** new species, 337
Phyllotreta cruciferae, collection, bioassay, 352
pitfall sampling, for Carabidae, 279
plant age, effect on sunflower stem weevil, 453
Pogonomyrmex occidentalis, emigration, 456
Polistes, aggregation at mating sites, 211
population biology, of prairie ants, 16
predator density, in relation to prey, 30
predators, of aphids, 30
Press, J. W., 348
prey, of *Cerceris,* 91
Price, R. D., 275
Pseudophilanthus, review of genus, 146
Pterophylla camellifolia, in Colorado, 448

radar, use in tracking honey bees, 223
Ramoska, W. A., 115
Reed, H. C., 209
reproduction, rate of in aphids, 369
Rice, M. E., 200
rice weevil, temporary control by parasitiod, 348
Richardson, P. E., 252
Roath, W. W., 316
Rowell, G. A., 218
Russian wheat aphid, 369, 410

sage stem-galling fly, galls and parasitiods, 203
Scarabaeidae, *Hybosorus* in Oklahoma, 92; revision of *Phyllophaga* (*Triodonyx*), 321
Schaefer, P., 410
Schizaphis graminum, probing in resistant and susceptible wheat, 252
Schmidt, D. M., 87
Scholl, A., 134
Scholtz, W., 10
scorpionfly, deformed, 351
Scott, V. L., 393
Scymnus frontalis, life history, 410
seed chalcid, of trefoil, 292
Selander, R. B., 357
Selander, T. C., 357
sexual dimorphism, in glossa of bees, 1
Shafir, S., 96
Simpson, B. B. 377
size of female related to nest defense, 44
social insects, mating biology of, 209
Sommeijer, M. J., 421
Song, P. Z., 87
spatial dynamics, in mating system of honey bees, 218
species distinctiveness, in *Bombus*, 134
Sphecidae, behavior of *Trypoxylon*, 66; nest and prey of *Cerceris*, 91; nest defense, 44; mating behavior of *Tachytes*, 261
Stark, B. P., 93
Steelman, C. D., 299
Steinkraus, D. C., 196
Stewart, J. W., 10
Stiefel, V. L., 308
stingless bees, behavioral specialization, 421
stonefly, in Dominican amber, 93
Strickler, K., 393
sugarbeet root maggot, morphology, 59
sunflower moth, diapause, 431
sunflower stem weevil, plant age and feeding preference, 453
survival, differential in corn rootworm, 435
Sutter, G. R., 435
sweat bees, caste determination, 231
swift parrot, louse parasite of, 275
symposium on mating biology of social insects, 209

Tachytes tricinctus, mating behavior, 261
tarnished plant bug, effect on amaranth, 450
Taylor, O. R., 218, 223
temperature, and diapause, 431
Tenebrionidae, anatomy of reproductive system of *Alphitobius*, 299; in deserts, 125
Tephritidae, galls and parasitoids, 203
termites, monogamy in (summary), 251
territorial defense, by *Tachytes*, 261
Tetanops myopaeformis, larval morphology, 59
Tetranychidae, grass mites, 308
Tetraonyx, from Argentina, 357; **cuyana**, new species, 358; modifications of key, 362, 367
Thomas, G. D., 267
Thorp, R. W., 134
Tortricidae, affected by methyl bromide, 53
traps, chemical, 10
trefoil seed chalcid, 292
Trichoceridae, South American, 185
Trichoptera, life histories, 174
Trypoxylon monteverdae, behavior, 66
Turillazzi, S., 211

usurpation of nests, 44

ventral nerve cord, damage to, 53
Vespidae, mating systems of, 211
Vinson, S. B., 39

Walgenbach, D. D., 354
Warneke, A. F., 44
Warner, W. B., 321
wasps, behavior in *Trypoxylon*, 66; nest defense by, 44
Wedberg, J. L., 292
weevil parasitiod, in control of rice weevil, 348
Weiss, M. J., 352
Weissman. M. J., 448
western corn rootworm, 354
Wetterer, J., 96
Wiedenmann, R. N., 279
Wilson, R. L., 316, 450
Winston, M. L., 85
Wolf, W. W., 223
Wright, R. J., 346

Yanega, D., 231
Young, C. W., 185
Youssef, N. N., 30